

VITAL! Dangerous Integration of Pfizer Vaccines Toxic Spike inside Human DNA

By Fabio G. C. Carisio | Dec. 29th, 2023

 Send to Kindle

\$ 280 BILLION US TAXPAYER DOLLARS INVESTED since 1948 in US/Israeli Ethnic Cleansing and Occupation Operation; \$ 150B direct "aid" and \$ 130B in "Offense" contracts Source: Embassy of Israel, Washington, D.C. and US Department of State.

by Fabio Giuseppe Carlo Carisio

VERSIONE IN ITALIANO

«This study, in agreement with other published investigations, demonstrates that both natural and vaccine spike protein may still be present in long-CO VID patients, thus supporting the existence of a possible mechanism that causes the persistence of spike protein in the human body for much longer than predicted by early studies. According to these results, all patients with long-CO VID syndrome should be analyzed for the presence of vaccinal and viral spike protein».

A study by researchers from a private Italian laboratory confirms the alarm already raised by other research and the danger of Spike persistence in the bodies of vaccinated people, well explained by the bioimmunologist Mauro Mantovani due to the alteration of the "double Proline" made by Big Pharma in the production of vaccines but also for the genetic manipulation of the nucleoside Pseudorudin which we talked about in previous investigations.

VACCINI mRNA KILLER. 14 MODI IN CUI POSSONO UCCIDERE.

Sintesi dei Più Scioccanti Studi Mondiali per Patologia

The authors looked for matches between blood cell DNA and the unique genetic sequences of the Pfizer CO VID BNT162b2 vaccine. After using sensitive tests, scientists discovered genes that could only have come from the Pfizer CO VID vaccine in the genomes of the analyzed blood samples, particularly in leukocytes.

Leukocytes or white blood cells are blood cells involved in the immune response. Thanks to their intervention, the body defends itself from pathogenic microorganisms (such as viruses, bacteria, fungi and parasites), foreign particles and potentially harmful abnormal cells present in the blood and tissues.



The young researcher of Albanian origins Kristjana Dhuli of the MAGIS' LAB of Rovereto (Trento, ITALY), the first signatory of the study

The research was signed by the doctor Kristjana Dhuli, who graduated in 2018 from the Faculty of Biotechnology of the University of Tirana and already the author of 37 international studies, as a researcher at the MAGI'S LAB in Rovereto (Trento) together with colleagues M.C. Medori, C. Micheletti, K. Donato, F. Fioretti, A. Calzoni, A. Praderio, M.G. De Angelis, G. Arabia, S. Cristoni, S. Nodari, M. Bertelli.

The Spike of Vaccines in Patients with Long Co vid Syndrome

It was published in the December issue of the **European Review for Medical and Pharmacological Sciences** with the title *“Presence of viral spike protein and vaccination spike protein in the blood serum of patients with long-CO VID syndrome”* but, by virtue of its considerable importance, **it has already been relaunched by PubMed**, the archive of the National Institute of Health (NIH) of the US Department of Health.

Presence of viral spike protein and vaccinal spike protein in the blood serum of patients with long-COVID syndrome

K. Dhuli, M.C. Medori, C. Micheletti, K. Donato, F. Fioretti, A. Calzoni, A. Praderio, M.G. De Angelis, G. Arabia, S. Cristoni, S. Nodari, M. Bertelli

MAGI'S LAB, Rovereto, Trento, Italy. kristjana.dhuli@assomagi.org

An official website of the United States government [Here's how you know](#) ✓

 **National Library of Medicine**
National Center for Biotechnology Information



Advanced

Save Email Send

> Eur Rev Med Pharmacol Sci. 2023 Dec;27(6 Suppl):13-19. doi: 10.26355/eurrev_202312_34685.

Presence of viral spike protein and vaccinal spike protein in the blood serum of patients with long-COVID syndrome

K Dhuli ¹, M C Medori, C Micheletti, K Donato, F Fioretti, A Calzoni, A Praderio, M G De Angelis, G Arabia, S Cristoni, S Nodari, M Bertelli

In the study, the researchers take inspiration, among other sources, from the study by Markus Alden of the Department of Clinical Sciences, Lund University, Malmö, Sweden, who was the first to report the integration of vaccine genes into blood and organ DNA humans.

The Study which Changed Covid Vaccines History. Pfizer mRNA Serum can Alter Human DNA. Entering in Cells through Liver

The new scientific document implicitly supports **the hypothesis reported by Gospa News in the investigation on Spike-Demic** (i.e. on the disorders of the Post-Vaccination Syndrome Co vid (PVCS) detected in 84% of those vaccinated with boosters by an Indian study) that the Long CO VID may be determined more by the inoculation of mRNA gene sera than by the SARS-Cov-2 viral strain (also constructed in the laboratory with alteration of the viral load as highlighted by dozens of scientific studies).

*«CO VID-19 patients experience, in 10-20% of the cases, a prolonged long-CO VID syndrome, defined as the persistence of symptoms for at least two months after the infection. The underlying biological mechanisms of this syndrome remain poorly understood. Several hypotheses have been proposed, among which are the potential autoimmunity resulting from molecular mimicry between viral spike protein and human proteins, the reservoir and viral reproduction hypothesis, and the viral integration hypothesis. **Although official data state that vaccinal spike protein is harmless and remains at the site of infection, several studies proposed spike protein toxicity and found it in blood circulation several months after the vaccination.** To search for the presence of viral and vaccine spike protein in a cohort of long-CO VID patients».*

SPIKE-DEMIC among Vaccinated: 83 % hit by PCVS Syndrome. Indian Study confirmed Gates, Big Pharma's Health Disaster

The analysis of a German pathologist on the blood of a vaccinated and damaged Swiss banker revealed the presence of Spike even two years after the administration of the genetic serum.

American and Canadian biochemistry and genomics experts have instead demonstrated the presence in mRNA vaccines of billions of DNA fragments of the same protein and other dangerous genes such as SV40, a viral agent that can cause cancer.

“Pfizer-Biontech Covid Vaccine produces the toxic Spike protein in Human Body Even after 2 Years”. Explosive Study

Here are the methods and results:

*«In this study, we employed a proteomic-based approach utilizing mass spectrometry to analyze the serum of 81 patients with long-COVID syndrome. Moreover, **viral integration in patients' leukocytes was assessed with a preliminary study**, without further investigation. We identified the presence of the viral spike protein in one patient after infection clearance and negativity of COVID-19 test and **the vaccine spike protein in two patients two months after the vaccination**».*

Billions of DNA Fragments of Toxic Spike Protein and SV40 gene in the mRNA Vaccines. New Study: "They may Cause Turbo-Cancer"

The analytical discussion by the researchers at the MAGI'S LAB in Rovereto also deserves to be reported.

«This study employed mass spectrometry analysis to investigate the presence of viral and vaccine spike proteins in the blood serum of patients with long-COVID syndrome. As reported in Table II, the mass spectrometry analysis revealed the presence of both viral and vaccine spike protein fragments in a subset of patients with long-COVID syndrome even two months after vaccination or after infection clearance and negativity of the COVID-19 test (Table IV)» we read in the text.

K. Dhuli, M.C. Medori, C. Micheletti, K. Donato, et al

Table IV. Vaccine and sample data for patients

ID	Type of vaccine	Date of 2 nd vaccine dose	Date of sample collection	Vaccine Spike protein	Viral Spike protein
1	Pfizer	02/2021	26/04/2021	Yes	No
37	Pfizer	02/2021	30/04/2021	Yes	No

*«Official data sustain that the vaccine spike protein remains in the vicinity of the injection site and local lymph nodes and that it may persist in the body up to a few weeks after vaccination (20-24). **Our findings, in alignment with other studies and in contradiction with official data, show the presence of both the vaccine and the viral spike protein in the bloodstream even after infection clearance and several months after vaccination (40-42,45-49). Furthermore, viral integration in patients' leukocytes was assessed with a preliminary study following the protocol of Merchant(18), without further investigation (Supplementary Data).** Having detected the vaccinal protein in two subjects and the viral protein in one subject in a cohort of 95 patients, this study has*

mainly a descriptive function. Nevertheless, these results are aligned with many other already published literature performed on other independent cohorts».

Illinois House Bill Requires Donated Blood to be Screened for mRNA Vaccines

Here is the warning launched by Dhuli et al. to the scientific community and public health authorities:

«We conclude that considering the proposed toxicity of the spike protein and that official data sustain that it should not persist in blood circulation a few weeks after vaccination, blood samples of long-COVID patients should be routinely tested for the presence of vaccine and viral spike protein. Future research should focus on investigating the specific pathways and interactions through which viral and vaccine spike protein can circulate and persist in blood circulation several months after viral clearance or vaccination and on its possible negative effects».

The Sequence of Pfizer's Spike Protein Integrated by Leukocytes

Finally, in the conclusion they highlight the importance of the scientific method they used:

«This study underscores the importance of mass spectrometry analysis of long-COVID patients to detect spike protein persistence. Further research is needed to understand the underlying mechanisms of spike protein persistence».

VACCINI COVID: GRAVI RISCHI DA SPIKE TOSSICA PERSISTENTE. Per la Doppia Prolina nel mRNA Modificato. Alterazione Nascosta da Autorità Sanitarie USA

In the Supplementary Data the researchers' alarm becomes even more concrete and technical:

«The PCR and Sanger sequencing analysis of genomic DNA from long-COVID patients revealed the presence of a sequence similar to the BNT162b2 vaccine spike protein sequence, possibly indicating potential integration

(Figure S2). Alignment of chromatograms with reference sequences suggested the existence of viral spike protein fragments, aligning with intracellular reverse transcription of the Pfizer BioNTech CO VID-19 mRNA vaccine (1)».



Figure S2. First Nested PCR products on 1.4% agarose gel.

Table S2 published in the supplementary studies by Dhuli et al. - the circles and the red writing were added afterwards by another scholar

And finally the research by Dhuli et al. mentions two disturbing studies:

«Additionally, Lehrer et al. discovered a 117-base pair sequence from the SARS-CoV-2 orf1b gene within the NTNG1 gene on human chromosome 1, raising intriguing questions about the relationship between SARS-CoV-2 genetic material and schizophrenia-related genes (2). The study by Jeong et al., focusing on SARS-CoV-2 spike-encoding mRNA sequences in BNT- 162b2 and mRNA-1273 vaccines, directly relates to our investigation of viral and vaccine spike protein fragments in post-COVID-19 syndrome patients (3)».

A correlation between cognitive disorders, called “brain fog” in English, had also been highlighted by an investigation by the journal Science based on sample studies conducted by the US Institute of Health which had pointed out a curious analogy between the phenomena of Long Covid among the recovered infected and among the vaccinated.

SCIENCE Magazine Finally Admitted the mRNA Vaccines Dangerous Side Effects! Shots linked to Long Covid, Neurologic Damages and POTS

While a Croatian study had highlighted psychotic problems that could culminate in suicidal instincts among the adverse reactions of genetic serums.

In their conclusion on the Supplementary Data, the scientists from the Italian laboratory also believe essential «to acknowledge the a limitation of the study including the short length of aligned sequences and primer-related constraints, which necessitate further investigation to confirm vaccine integration and exclude potential cross-reactivity or contamination (1). Validation through alternative techniques like next-generation sequencing and improved primer design in targeted PCR assays is warranted (4). **Longitudinal studies with larger sample sizes and control groups are necessary to assess the specificity and prevalence of vaccine spike protein integration in long-COVID patients**».

MAIN SOURCES

PUBMED – Presence of viral spike protein and vaccinal spike protein in the blood serum of patients with long-COVID syndrome

“Acute Psychosis after COVID-19 Vaccination”. Croatian Study’s Alert relaunched by the US Physician McCullough

Inside mRNA Vaccines a Human Molecule Diabolically Altered. Cambridge’s Alarming Study on M1Ψ Toxic Dangers

WUHAN-GATES – 73. Half of Century of Covert Bioweapon Development Leading to Fauci’s SARS-Cov-2 and to mRNA Lethal Vaccines

Covid Vaccines Killer Pathologies in a Name Only: Spikeopathy! Huge, Chilling Study on mRNA Genic Serums’ Serious Adverse Reactions

“Coronavirus Vaccines may Cause Long Covid-like Health Problems” Science wrote

Serious Inflammatory Muscular Disorders after mRNA Vaccines. Korean Study confirms Segalla and McCullough Alarms. On Heart Dangers too



Fabio is investigative journalist since 1991. Now geopolitics, intelligence, military, SARS-Cov-2 manmade, NWO expert and Director-founder of Gospa News: a Christian Information Journal.

His articles were published on many international media and website as **SouthFront**, **Reseau International**, **Sputnik Italia**, **United Nation Association Westminster**, **Global Research**, **Kolozeg** and more...

Most popular investigation on VT is:

Rumsfeld Shady Heritage in Pandemic: GILEAD's Intrigues with WHO & Wuhan Lab. Bio-Weapons' Tests with CIA & Pentagon

Fabio Giuseppe Carlo Carisio, born on 24/2/1967 in Borgosesia, started working as a reporter when he was only 19 years old in the alpine area of Valsesia, Piedmont, his birth region in Italy. After studying literature and history at the Catholic University of the Sacred Heart in Milan, he became director of the local newspaper Notizia Oggi Vercelli and specialized in judicial reporting.

For about 15 years he is a correspondent from Northern Italy for the Italian newspapers Libero and Il Giornale, also writing important revelations on the Ustica massacre, a report on Freemasonry and organized crime.

With independent investigations, he collaborates with Carabinieri and Guardia di Finanza in important investigations that conclude with the arrest of Camorra entrepreneurs or corrupt politicians.

In July 2018 he found the counter-information web media Gospa News focused on geopolitics, terrorism, Middle East, and military intelligence.

In 2020 published the book, in Italian only, WUHAN-GATES – The New World Order Plot on SARS-Cov-2 manmade focused on the cycle of investigations Wuhan-Gates

His investigations was quoted also by The Gateway Pundit, Tasnim and others

He worked for many years for the magazine Art & Wine as an art critic and curator.

VETERANS TODAY OLD POSTS

<https://www.vtforeignpolicy.com/2023/12/vital-dangerous-integration-of-pfizer-vaccines-toxic-spike-inside-human-dna/>